

檢測報告

18-1009-024-01

第1頁，共2頁

精森生物科技有限公司

樣品名稱：精森仙果王

樣品資訊：精森仙果王

樣品狀態：散裝

檢測委託單位：漢聖製藥科技股份有限公司

檢測委託單位地址：900 屏東市工業環路 20 號

收樣日期：2018/10/09

檢驗日期：2018/10/09 ~ 2018/10/24

報告日期：2018/10/24

檢測項目	結果	定量/偵測極限
重金屬 (以鉛計)	<20 ppm	20 ppm

~~以下空白~~

檢測方法：

1. 重金屬 (以鉛計)：

參考 107 年 3 月 22 日衛授食字第 1071900482 號公告修正 食品添加物規格檢驗方法 附錄 A 第 7 法 重金屬檢查法

報告簽署人




1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01
精森生物科技有限公司

第2頁，共2頁

樣品照片：



18-1009-024-01

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2

第1頁, 共6頁

精森生物科技有限公司

樣品名稱：精森仙果王

樣品資訊：精森仙果王

樣品狀態：散裝

檢測委託單位：漢聖製藥科技股份有限公司

檢測委託單位地址：900 屏東市工業環路 20 號

收樣日期：2018/10/09

檢驗日期：2018/10/09 ~ 2018/10/24

報告日期：2018/10/24

檢測項目	結果	定量/偵測極限
西藥成分 201 項	陰性 (未檢出)	如附表

~~以下空白~~

檢測方法：

1. 西藥成分 201 項：

實驗室內部方法，以 HPLC 分析

報告簽署人




1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2

精森生物科技有限公司

第2頁, 共6頁

樣品照片：



18-1009-024-01

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2

精森生物科技有限公司

第3頁, 共6頁

附表

序號	分析項目	LOQ(mg/g)		序號	分析項目	LOQ(mg/g)	
		液體	固體			液體	固體
類固醇：(10)				利尿劑：(8)			
1	Betamethasone	2.00	10.00	30	Acetazolamide	10.00	50.00
2	Cortisone acetate	1.00	5.00	31	Chlorothiazide	0.20	1.00
3	Dexamethasone	1.00	5.00	32	Furosemide	0.25	1.25
4	Hydrocortisone	1.00	5.00	33	Hydrochlorothiazide	0.60	3.00
5	Hydrocortisone-21-Acetate	1.00	5.00	34	Indapamide	0.75	3.75
6	Methylprednisolone	0.50	2.50	35	Metolazone	1.75	8.75
7	Oxymetholone	5.00	25.00	36	Spironolactone	1.00	5.00
8	Prednisolone	0.50	2.50	37	Triamterene	0.88	4.40
9	Prednisone	0.20	1.00	抗 生 素：(32)			
10	Triamcinolone acetonide	1.00	5.00	38	Amoxycillin trihydrate	1.00	5.00
降 血 脂 類：(3)				39	Ampicillin trihydrate	0.80	4.00
11	Benzafibrate	0.06	0.30	40	Chloramphenicol	0.30	1.50
12	Clofibrate	0.06	0.30	41	Chlortetracycline	0.80	4.00
13	Gemfibrozil	0.07	0.35	42	Erythromycin estolate	3.20	16.00
荷爾蒙類：(14)				43	Fluconazole	0.40	2.00
14	17a-Ethynylestradiol	0.164	0.82	44	Griseofulvin	0.30	1.50
15	3,3,5-Triiodothyronine free acid	0.45	2.25	45	Isoniazid	0.25	1.25
16	Carbimazole	0.50	2.50	46	Metronidazole	1.00	5.00
17	Clomiphene Citrate	2.50	12.5	47	Nalidixic acid	1.00	5.00
18	Diethylstilbestrol	1.00	5.00	48	Nitrofurantoin	1.00	5.00
19	Danazol	7.50	37.50	49	Nitrofurazone	1.00	5.00
20	Estradiol benzoate	1.00	5.00	50	Norfloxacin	1.00	5.00
21	Estriol	0.25	1.25	51	Oxolinic acid	1.00	5.00
22	Estrone	0.25	1.25	52	Phenazopyridine	1.00	5.00
23	Ethynyl-Androstenediol	7.50	37.50	53	Rifampicin	0.80	4.00
24	Formestane	15.00	75.00	54	Sulfadiazine	1.00	5.00
25	Methyltestosterone	3.00	15.00	55	Sulfadimethoxine	0.30	1.50
26	Progesterone	2.50	12.5	56	Sulfaguanidine	0.50	2.50
27	Testosterone propionate	4.00	20.00	57	Sulfamerazine	0.40	2.00
麻藥拮抗劑：(2)				58	Sulfamethazine	0.45	2.25
28	Naloxone	0.25	1.25	59	Sulfamethizole	0.30	1.50
29	Naltrexone	0.25	1.25	60	Sulfamethoxazole	0.20	1.00

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2

精森生物科技有限公司

第4頁, 共6頁

序號	分析項目	LOQ(mg/g)		序號	分析項目	LOQ(mg/g)	
		液體	固體			液體	固體
61	Sulfamethoxypyridazine	0.40	2.00	91	DL-Homatropine	0.40	2.00
62	Sulfanilamide	0.40	2.00	92	Ethaverine	0.30	1.50
63	Sulfathiazole	0.50	2.50	93	Flopropione	0.30	1.50
64	Sulfisomidine	1.00	5.00	94	Metoclopramide	0.60	3.00
65	Sulfisoxazole	1.00	5.00	95	Oxyphencyclimine	1.00	5.00
66	Tetracycline HCl	0.80	4.00	96	Propantheline bromide	0.40	2.00
67	Trimethoprim	0.20	1.00	97	Ranitidine HCL	3.33	16.65
68	Econazole Nitrate	0.588	2.94	精神科類：(14)			
69	Tinidazole	1.00	5.00	98	Chlormezanone	0.125	0.625
糖尿病用藥：(7)				99	Chlorpromazine HCl	0.25	1.25
70	Acetohexamide	0.50	2.50	100	Clordiazepoxide HCl	0.25	1.25
71	Chlorpropamide	0.25	1.25	101	Diazepam	0.25	1.25
72	Glybenclamide	0.25	1.25	102	Diphenylhydantoin	0.125	0.625
73	Metformin	0.50	2.50	103	Flunitrazepam(FM2)	0.155	0.775
74	Phenformin hydrochloride	0.50	2.50	104	Fluoxetine	0.50	2.50
75	Tolazamide	0.125	0.625	105	Melatonin	0.40	2.00
76	Tolbutamide	0.25	1.25	106	Meprobamate	10.00	50.00
抗組織胺類：(9)				107	Oxazolam	2.00	10.00
77	Brompheniramine maleate	0.125	0.625	108	Phenobarbital	0.25	1.25
78	Carbinoxamine maleate	0.125	0.625	109	Primidone	0.25	1.25
79	Chlorpheniramine maleate	0.50	2.50	110	Sulpiride	1.00	5.00
80	Cinnarizine	0.125	0.625	111	Thioridazine	0.50	2.50
81	Diphenhydramine	0.53	2.65	解熱止痛劑：(27)			
82	Diphenidol	0.14	0.70	112	Acemetacin	0.20	1.00
83	Ketotifen Fumarate	0.25	1.25	113	Acetaminophen	0.25	1.25
84	Triprolidine	0.50	2.50	114	Acetylsalicylic acid	1.00	5.00
85	Terfenadine	0.25	1.25	115	Aminopyrine	0.30	1.50
腸胃類：(12)				116	Benzydamine	0.20	1.00
86	Atropine	0.40	2.00	117	Bucetin	0.25	1.25
87	Bisacodyl	0.40	2.00	118	Bufexamac	0.10	0.50
88	Buscopan (scopolamine n-butylbromide)	1.00	5.00	119	Diclofenac sodium	0.10	0.50
89	Camyllofine	1.00	5.00	120	Dipyron	2.00	10.00
90	Cimetidine	0.40	2.00	121	Ethoxybenzamide	0.10	0.50

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2
精森生物科技有限公司

第5頁, 共6頁

序號	分析項目	LOQ(mg/g)		序號	分析項目	LOQ(mg/g)	
		液體	固體			液體	固體
122	Fenbufen	0.25	1.25	153	Benzocaine	0.125	0.625
123	Flufenamic acid	0.20	1.00	154	Dibucaine	0.593	2.965
124	Flurbiprofen	0.20	1.00	155	Lidocaine	0.25	1.25
125	Ibuprofen	0.20	1.00	156	Oxethazaine	0.25	1.25
126	Indomethacin	0.15	0.75	157	Procaine	5.81	29.05
127	Ketoprofen	0.15	0.75	158	Tetracaine	0.50	2.50
128	Mefenamic acid	0.25	1.25	痛風治療類：(5)			
129	Methylsalicylate	0.04	0.20	159	Allopurinol	1.00	5.00
130	Naproxen	0.40	2.00	160	Benzbromarone	0.25	1.25
131	Niflumic acid	0.35	1.75	161	Colchicine	0.25	1.25
132	Oxyphenbutazone	0.60	3.00	162	Probenecid	0.25	1.25
133	Phenacetin	0.20	1.00	163	Sulfinpyrazone	0.25	1.25
134	Phenylbutazone	0.50	2.50	成癮性麻醉劑、禁用藥物：(7)			
135	Piroxicam	0.40	2.00	164	Amphetamine(安非他命)	1.00	5.00
136	Salicylamide	0.10	0.50	165	Fenfluramine	1.00	5.00
137	Salicylic acid	0.385	1.925	166	Heroin(海洛因)	1.00	5.00
138	Sulindac	0.10	0.50	167	Ketamine(K他命)	1.00	5.00
心臟血管類：(14)				168	Methamphetamine(甲基安非他命)	1.00	5.00
139	Atenolol	1.00	5.00	169	Phentermine	0.25	1.25
140	Diltiazem	0.25	1.25	170	Secobarbital	0.66	3.30
141	Dipyridamole	1.00	5.00	其他：(9)			
142	Fenofibrate	0.37	1.85	171	Chlorhexidine	0.40	2.00
143	Hydralazine HCl	2.00	10.00	172	Methimazole(抗甲狀腺藥物)	1.30	6.50
144	Methyldopa	0.25	1.25	173	Mixed alkyltrimethylammonium bromide	0.80	4.00
145	Minoxidil	0.25	1.25	174	Nicotine(尼古丁)	0.40	2.00
146	Nifedipine	0.50	2.50	175	Podophyllotoxin(鬼臼毒素)	0.20	1.00
147	Buphenin	1.00	5.00	176	Santonin(山道年)-驅蟲劑	2.30	11.50
148	Pentoxifylline	0.25	1.25	177	Strychnine(蕃木鱉鹼)-滅鼠劑	0.25	1.25
149	Prazosin	1.00	5.00	178	Finasteride	0.5	2.5
150	Propranolol	1.00	5.00	179	Nicatate	1.00	5.00
151	Reserpine(蛇根鹼)	1.00	5.00	神經興奮劑：(6)			
152	Phentolamine	0.25	1.25	180	Caffeine(咖啡因)	0.25	1.25
局部麻醉類：(6)				181	Ephedrine(麻黃素)	2.50	12.50

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-2

精森生物科技有限公司

第6頁，共6頁

序號	分析項目	LOQ(mg/g)		序號	分析項目	LOQ(mg/g)	
		液體	固體			液體	固體
182	Methylephedrine	1.00	5.00	192	Dihydroxypropyltheophylline (Diprophylline、Dyphylline)	0.25	1.25
183	Phenylephrine	2.00	10.00	193	Fenoterol	4.25	21.25
184	Phenylpropanolamine	4.00	20.00	194	Salbutamol	1.00	5.00
185	Theobromine(可可鹼)	1.00	5.00	鎮咳、祛痰劑：(7)			
肌肉鬆弛劑：(5)				195	Becantex	8.00	40.00
186	Carisoprodol	10.00	50.00	196	Bromhexine	2.00	10.00
187	Chlorzoxazone	0.625	3.125	197	Cloperastine	0.50	2.50
188	Flavoxate	0.25	1.25	198	Dextromethorphan	1.00	5.00
189	Mephenesin	0.125	0.625	199	Guaifenesin	0.125	0.625
190	Orphenadrine citrate	0.25	1.25	200	Noscapine HCl	1.00	5.00
支氣管擴張劑：(4)				201	Papaverine(罌粟鹼)	0.50	2.50
191	Aminophylline(Theophylline)	3.375	16.875				

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

檢測報告

18-1009-024-01-1

精森生物科技有限公司

第1頁, 共7頁

樣品名稱：精森仙果王

樣品資訊：精森仙果王

樣品狀態：散裝

檢測委託單位：漢聖製藥科技股份有限公司

檢測委託單位地址：900 屏東市工業環路 20 號

收樣日期：2018/10/09

檢驗日期：2018/10/09 ~ 2018/10/24

報告日期：2018/10/24

檢測項目	結果	定量極限
農藥殘留檢測 373 項	N.D. (未檢出)	如附表
~~~以下空白~~~		

## 檢測方法：

## 1. 農藥殘留檢測 373 項：

參考(1) 106 年 8 月 31 日衛授食字第 1061901690 號公告修正 食品中殘留農藥檢驗方法—多重殘留分析方法(五)

(2) AOAC official method 2007.01 Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate.

定量極限參考附表 " 乾燥食品 ^{b)}

報告簽署人



1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**

精森生物科技有限公司

第2頁，共7頁

樣品照片：



**18-1009-024-01**

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**

精森生物科技有限公司

第3頁, 共7頁

### 附表

項次	檢驗成分		定量極限 µg/g(ppm)		項次	檢驗成分		定量極限 µg/g(ppm)	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b		英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
1	2,6-Diisopropyl-naphthalene(2,6-DIPN)	2,6-Diisopropyl-naphthalene	0.02	0.05	41	Bromuconazole	溴克座	0.02	0.05
2	2-Phenylphenol	2-Phenylphenol	0.02	0.05	42	Bufencarb	必克蟲	0.01	0.03
3	3-keto carbofuran	3-酮基加保扶	0.02	0.05	43	Bupirimate	布瑞莠	0.02	0.05
4	3-OH carbofuran	3-羥基加保扶	0.02	0.05	44	Buprofezin	布芬淨	0.02	0.05
5	Abamectin	阿巴汀	0.01	0.05	45	Butachlor	丁基拉草	0.02	0.05
6	Acephate	毆殺松	0.02	0.05	46	Butocarboxim	佈嘉信	0.02	0.05
7	Acequinocyl - hydroxyl	亞醯端代謝物	0.02	0.05	47	Butralin	比達寧	0.02	0.05
8	Acetamiprid	亞滅培	0.02	0.05	48	Cadusafos	Cadusafos	0.02	0.05
9	Acetochlor	Acetochlor	0.02	0.05	49	Carbaryl	加保利	0.02	0.05
10	Acibenzolar-S-methyl	Acibenzolar-S-methyl	0.02	0.05	50	Carbendazim	貝芬替	0.02	0.05
11	Acrinathrin	阿納寧	0.02	0.05	51	Carbofuran	加保扶	0.02	0.05
12	Alachlor	拉草	0.02	0.05	52	Carbophenothion	加芬松	0.02	0.05
13	Aldicarb	得滅克	0.02	0.02	53	Carbosulfan	丁基加保扶	0.02	0.05
14	Aldicarb sulfone	得滅克亞磺	0.02	0.02	54	Carfentrazone-ethyl	乙基克繁草	0.02	0.05
15	Aldicarb sulfoxide	得滅克亞磺	0.02	0.02	55	Carpropamid	加普胺	0.02	0.05
16	Aldrin	阿特靈	0.02	0.03	56	Chinomethionat	螞離丹	0.02	0.05
17	Allethrin	亞烈寧	0.1	0.1	57	Chlorantraniliprole	剋安勃	0.02	0.05
18	Alloxydim (sodium)	亞汰草	0.02	0.05	58	Chlorfenapyr	克凡派	0.02	0.05
19	Ametoctradin	滅脫定	0.02	0.05	59	Chlorfluazuron	克福隆	0.02	0.05
20	Ametryn	草殺淨	0.02	0.05	60	Chloropropylate	克氯蟎	0.02	0.02
21	Amisulbrom	安美速	0.03	0.05	61	Chlorothalonil	四氯異苯腈	0.04	0.05
22	Atrazine	草脫淨	0.02	0.05	62	Chlorpropham	Chlorpropham	0.02	0.05
23	Azinphos-methyl	谷速松	0.02	0.1	63	Chlorpyrifos	陶斯松	0.02	0.05
24	Azoxystrobin	亞托敏	0.01	0.05	64	Chlorpyrifos-methyl	甲基陶斯松	0.02	0.05
25	Benalaxyl	本達樂	0.02	0.05	65	Chlorthal-dimethyl	大克草	0.02	0.05
26	Bendiocarb	免敵克	0.02	0.05	66	Chlozolinate	克氯得	0.02	0.05
27	Benfluralin	倍尼芬	0.02	0.05	67	Chromafenozide	可芬諾	0.02	0.05
28	Benfuracarb	免扶克	0.02	—	68	Cinem I	除蟲菊精	0.02	0.05
29	Bensulfuron-methyl	免達隆	0.02	0.05	69	Cinem II	除蟲菊精	0.02	0.05
30	Bentazone	本達隆	0.02	0.05	70	Cinosulfuron	西達隆	0.02	0.05
31	Benthiazole	佈生	0.02	0.05	71	cis-Chlordane	cis-可氯丹	0.02	0.05
32	Bifenazate	必芬蟎	0.02	0.05	72	Clethodim	剋草同	0.02	0.05
33	Bifenox	必芬諾	0.02	0.05	73	Clofentezine	克芬蟎	0.02	0.05
34	Bifenthrin	畢芬寧	0.02	0.05	74	Clomazone	可滅癩	0.02	0.05
35	Bitertanol	比多農	0.02	0.05	75	Clomeprop	克普草	0.02	0.05
36	Boscalid	白克列	0.02	0.05	76	Clothianidin	可尼丁	0.02	0.05
37	Bromacil	克草	0.02	0.05	77	CPMC(Etrofol)	蟲必殺	0.02	0.05
38	Bromophos-ethyl	乙基溴磷松	0.02	0.05	78	Cyanazine	氣乃淨	0.02	0.05
39	Bromophos-methyl	(甲基)溴磷松	0.02	0.05	79	Cyanofenphos	施力松	0.02	0.05
40	Bromopropylate	新殺蟎	0.02	0.05	80	Cyanophos	氣乃松	0.02	0.05

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**
**精森生物科技有限公司**

第4頁, 共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
81	Cyazofamid	賽座滅	0.02	0.05
82	Cyclosulfamuron	環磺隆	0.02	0.05
83	Cycloxydim	環殺草	0.02	0.05
84	Cyflufenamid	賽芬胺	0.02	0.05
85	Cyflumetofen	賽芬端	0.02	0.05
86	Cyfluthrin	賽扶寧	0.02	0.05
87	Cyhalofop-butyl	丁基賽伏草	0.02	0.05
88	Cymoxanil	克絕	0.02	0.05
89	Cypermethrin	賽滅寧	0.03	0.5
90	Cyproconazole	環克座	0.02	0.05
91	Cyprodinil	賽普洛	0.01	0.05
92	Deltamethrin	第滅寧	0.02	0.05
93	Demeton-s-methyl	滅賜松	0.02	0.05
94	Diazinon	大利松	0.02	0.05
95	Dichlorvos	二氯松	0.02	0.05
96	Dicloran	大克爛	0.02	0.05
97	Dicofol	大克端	0.02	0.05
98	Dicofol (DCBP)	大克端代謝物	0.02	0.05
99	Dicrotophos	雙特松	0.02	0.05
100	Dieldrin	地特靈	0.02	0.05
101	Difenoconazole	待克利	0.02	0.05
102	Diffubenzuron	二福隆	0.01	0.05
103	Dimethenamid	汰草滅	0.02	0.05
104	Dimethipin	獲萎得	0.02	0.05
105	Dimethoate	大滅松	0.02	0.05
106	Dimethomorph	達滅芬	0.02	0.05
107	Diniconazole	達克利	0.02	0.05
108	Dinitramine	捷乃安	0.02	0.05
109	Dinotefuran	達特南	0.02	0.05
110	Diphenamid	大芬滅	0.02	0.05
111	Diphenylamine	Diphenylamine	0.02	0.05
112	Disulfoton	二硫松	0.02	0.05
113	Ditalimfos	普得松	0.02	0.03
114	Dithiopyr	汰硫草	0.02	0.05
115	Diuron	達有龍	0.02	0.05
116	Dymron	汰草龍	0.02	0.05
117	Edifenphos	護粒松	0.02	0.05
118	Emamectin benzoate B1a	因滅汀	0.02	0.05
119	Emamectin benzoate B1b	因滅汀	0.02	0.05
120	Endosulfan sulfate	安殺番硫酸鹽	0.02	0.05
121	Endrin	安特靈	0.02	0.05
122	EPN	一品松	0.02	0.03
123	Epoxiconazole	依普座	0.02	0.05
124	Esfenvalerate	益化利	0.02	0.05
125	Ethion	愛殺松	0.02	0.05
126	Ethiprole	益斯普	0.02	0.05
127	Ethirimol	依瑞莫	0.02	0.05
128	Ethoprophos	普伏松	0.01	0.05
129	Etofenprox	依芬寧	0.02	0.05
130	Etoazole	依殺端	0.02	0.05
131	Etridiazole	依得利	0.02	0.05
132	Etrifos	益多松	0.02	0.05
133	Famoxadone	凡殺同	0.02	0.05
134	Fenamidophos	芬滅松	0.01	0.05
135	Fenarimol	芬瑞莫	0.02	0.05
136	Fenazaquin	芬殺端	0.02	0.05
137	Fenbuconazole	芬克座	0.02	0.05
138	Fenbutatin-oxide	芬佈賜	0.02	0.05
139	Fenhexamid	Fenhexamid	0.02	0.05
140	Fenitrothion	撲滅松	0.02	0.05
141	Fenobucarb	丁基滅必蟲	0.02	0.05
142	Fenothiocarb	芬硫克	0.02	0.05
143	Fenoxanil	芬諾尼	0.02	0.05
144	Fenoxaprop-ethyl	芬殺草	0.02	0.05
145	Fenoxycarb	芬諾克	0.02	0.05
146	Fenpropathrin	芬普寧	0.02	0.05
147	Fenpropimorph	芬普福	0.02	0.05
148	Fenpyroximate	芬普端	0.02	0.05
149	Fensulfthion	繁福松	0.02	0.05
150	Fenthion	芬殺松	0.01	0.05
151	Fenvalerate	芬化利	0.02	0.05
152	Ferimzone	富米綜	0.02	0.05
153	Fipronil	芬普尼	0.001	0.002
154	Fipronil-sulfone	芬普尼代謝物	0.02	0.05
155	Flazasulfuron	伏達隆	0.02	0.05
156	Flonicamid	氟尼胺	0.02	0.05
157	Fluazifop-P-butyl	伏寄普	0.02	0.05
158	Fluazinam	扶吉胺	0.02	0.05
159	Flubendiamide	氟大滅	0.02	0.05
160	Flucythrinate	護賽寧	0.02	0.05

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**

第5頁, 共7頁

精森生物科技有限公司

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
160	Fludioxonil	護汰寧	0.02	0.06
161	Fluensulfone	氟達芬	0.02	0.05
162	Flufenoxuron	氟芬隆	0.02	0.05
163	Fluopicolide	氟比來	0.02	0.05
164	Fluopyram	氟派瑞	0.02	0.05
165	Flupyradifurone	Flupyradifurone	0.02	0.05
166	Fluroxypyr-meptyl	氟氣比代謝物	0.02	0.05
167	Flusilazole	護砂得	0.02	0.05
168	Flutolanil	福多寧	0.02	0.05
169	Flutriafol	護汰芬	0.02	0.05
170	Fluvalinate	福化利	0.02	0.05
171	Fluxapyroxad	氟克殺	0.02	0.05
172	Fonofos	大福松	0.02	0.05
173	Formetanate	覆滅端	0.02	0.05
174	Formothion	福木松	0.02	0.05
175	Fosthiazate	福賽絕	0.02	0.05
176	Fthalide	熱必斯	0.02	0.05
177	Furametpyr	福拉比	0.02	0.05
178	Halfenprox	合芬寧	0.02	0.05
179	Haloxypyr-methyl	甲基合氟氣	0.02	0.05
180	Heptachlor	飛佈達	0.04	0.05
181	Heptachlor epoxide	環氧飛佈達	0.02	0.05
182	Heptenophos	飛達松	0.02	0.05
183	Hexaconazole	菲克利	0.02	0.05
184	Hexaflumuron	六伏隆	0.05	0.05
185	Hexazinone	菲殺淨	0.02	0.05
186	Hexythiazox	合賽多	0.02	0.05
187	Imazalil	依滅列	0.01	0.05
188	Imibenconazole	易胺座	0.04	0.1
189	Imidacloprid	益達胺	0.02	0.05
190	Indoxacarb	因得克	0.01	0.01
191	Iprobenfos	丙基喜樂松	0.02	0.05
192	Iprodione	依普同	0.02	0.05
193	Iprovalicarb	Iprovalicarb	0.02	0.05
194	Isazofos	依殺松	0.02	0.05
195	Isofenphos	亞芬松	0.02	0.05
196	Isoprocarb	滅必蟲	0.02	0.05
197	Isoprothiolane	亞賜蘭	0.02	0.05
198	Isopyrazam	亞派占	0.02	0.05
199	Isotianil	亞汰尼	0.02	0.05

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
200	Isouron	愛達隆	0.02	0.05
201	Isoxaflutole	Isoxaflutole	0.02	0.05
202	Isoxathion	加福松	0.02	0.1
203	Jasmodin I	除蟲菊精	0.02	0.05
204	Jasmodin II	除蟲菊精	0.02	0.05
205	Kresoxim-methyl	克收欣	0.02	0.05
206	Linuron	理有龍	0.02	0.05
207	Lufenuron	祿芬隆	0.02	0.05
208	Malathion	馬拉松	0.02	0.05
209	Mandipropamid	曼普胺	0.02	0.05
210	Mecarbam	滅加松	0.02	0.05
211	Mefenacet	滅芬草	0.02	0.05
212	Mepanipyrim	滅派林	0.02	0.05
213	Mephosfolan	美福松	0.02	0.05
214	Mepronil	滅普寧	0.02	0.05
215	Metaflumizone	美氟綜	0.02	0.05
216	Metalaxyl	滅達樂	0.02	0.05
217	Metazachlor	滅草胺	0.02	0.05
218	Metconazole-cis	滅特座	0.02	0.05
219	Methacifos	滅克松	0.02	0.05
220	Methamidophos	達馬松	0.02	0.05
221	Methidathion	滅大松	0.02	0.05
222	Methiocarb	滅賜克	0.02	0.05
223	Methomyl	納乃得	0.02	0.05
224	Methoprene	美賜平	0.02	0.05
225	Methoxyfenozide	滅芬諾	0.01	0.05
226	Methyl pentachlorophenyl sulfide	五氯苯基甲基磺化物	0.02	0.02
227	Metobromuron	撲多草	0.02	0.05
228	Metolachlor	莫多草	0.02	0.05
229	Metolcarb	治滅蟲	0.02	0.05
230	Metrafenone	滅芬農	0.02	0.05
231	Metribuzin	滅必淨	0.02	0.05
232	Mevinphos	美文松	0.02	0.05
233	Mirex	滅蟻樂	0.04	0.05
234	Molinate	稻得壯	0.02	0.05
235	Monocrotophos	亞素靈	0.01	0.05
236	MPMC(Xylylcarb)	滅蘭蟲	0.02	0.05
237	Myclobutanil	邁克尼	0.02	0.05
238	Napropamide	滅落脫	0.02	0.05
239	Norflurazon	Norflurazon	0.02	0.05

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**
**精森生物科技有限公司**

第6頁, 共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
240	Novaluron	諾伐隆	0.02	0.05
241	Nuarimol	尼瑞莫	0.02	0.05
242	<i>o,p'</i> -DDD	<i>o,p'</i> -滴滴滴	0.02	0.02
243	<i>o,p'</i> -DDE	<i>o,p'</i> -滴滴易	0.02	0.02
244	<i>o,p'</i> -DDT	<i>o,p'</i> -滴滴涕	0.02	0.02
245	Omethoate	歐滅松	0.02	0.05
246	Oxadiazon	樂滅草	0.02	0.05
247	Oxadixyl	毀殺斯	0.02	0.05
248	Oxamyl	毀殺滅	0.01	0.05
249	Oxycarboxin	嘉保信	0.02	0.05
250	Oxydemeton methyl	滅多松	0.02	0.05
251	Oxyfluorfen	復綠芬	0.02	0.05
252	<i>p,p'</i> -DDD	<i>p,p'</i> -滴滴滴	0.02	0.02
253	<i>p,p'</i> -DDE	<i>p,p'</i> -滴滴易	0.02	0.02
254	<i>p,p'</i> -DDT	<i>p,p'</i> -滴滴涕	0.02	0.02
255	Paclobutrazol	巴克素	0.02	0.05
256	Parathion	巴拉松	0.02	0.05
257	Parathion-methyl	甲基巴拉松	0.02	0.05
258	Penconazole	平克座	0.02	0.05
259	Pencycuron	賓克隆	0.02	0.05
260	Pendimethalin	施得固	0.02	0.05
261	Penflufen	平氟芬	0.02	0.05
262	Penoxsulam	平達爛	0.01	0.05
263	Pentachloroaniline	五氯苯胺	0.02	0.02
264	Penthiopyrad	Penthiopyrad	0.02	0.05
265	Permethrin	百滅寧	0.02	0.05
266	Phenothiol	脫禾草	0.02	0.05
267	Phenothrin	酚丁滅蟲成分之一	0.02	0.05
268	Phenthoate	賽達松	0.02	0.05
269	Phorate	福瑞松	0.02	0.05
270	Phosalone	裕必松	0.02	0.05
271	Phosmet	益滅松	0.02	0.05
272	Phosphamidon	福賜米松	0.02	0.05
273	Phoxim	巴賽松	0.02	0.05
274	Piperonyl butoxide	協力精	0.02	0.05
275	Pirimicarb	比加普	0.02	0.05
276	Pirimiphos-ethyl	乙基亞特松(必滅松)	0.02	0.05
277	Pirimiphos-methyl	亞特松	0.02	0.05
278	Pretilachlor	普拉草	0.02	0.05
279	Probenazole	撲殺熱	0.02	0.05
280	Prochloraz	撲克拉	0.02	0.05
281	Procymidone	撲滅寧	0.02	0.05
282	Profenophos	佈飛松	0.02	0.05
283	Promecarb	普滅克	0.02	0.02
284	Prometryn	佈滅淨	0.02	0.05
285	Propamocarb hydrochloride	普拔克	0.02	0.05
286	Propanil	除草靈	0.02	0.05
287	Propaphos	加護松	0.02	0.05
288	Propargite	毀滅多	0.02	0.05
289	Propiconazole	普克利	0.02	0.05
290	Propoxur	安丹	0.02	0.05
291	Proquinazid	普快淨	0.02	0.05
292	Prothiofos	普硫松	0.02	0.05
293	Pymetrozine	派滅淨	0.01	—
294	Pyraclufos	白克松	0.02	0.05
295	Pyraclostrobin	百克敏	0.01	0.05
296	Pyraflufen-ethyl	派芬草	0.02	0.05
297	Pyrazophos	白粉松	0.02	0.05
298	Pyrazosulfuron-ethyl	百達隆	0.02	0.05
299	Pyrethrin I	除蟲菊精	0.02	0.05
300	Pyrethrin II	除蟲菊精	0.02	0.05
301	Pyribencarb	Pyribencarb	0.02	0.05
302	Pyridaben	畢達本	0.02	0.05
303	Pyridaphenthion	必芬松	0.02	0.05
304	Pyridate	必汰草	0.02	0.05
305	Pyrifenoxy	比芬諾	0.02	0.05
306	Pyriproquinazon	Pyriproquinazon	0.02	0.05
307	Pyrimethanil	派美尼	0.04	0.05
308	Pyrimidifen	畢汰芬	0.02	0.05
309	Pyriproxyfen	百利普芬	0.01	0.05
310	Pyroquilon	百快隆	0.02	0.05
311	Quinalphos	拜裕松	0.02	0.05
312	Quinoxifen	快諾芬	0.02	0.05
313	Quintozene (PCNB)	五氯硝苯	0.02	0.02
314	Quizalofop-ethyl	快伏草	0.02	0.05
315	Rotenone	魚藤精	0.02	0.05
316	Saflufenacil	殺芬草	0.02	0.05
317	Salithion	殺力松	0.02	0.03
318	Sedaxane	Sedaxane	0.02	0.05
319	Sethoxydim	西殺草	0.02	0.05

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-1009-024-01-1**

第7頁, 共7頁

精森生物科技有限公司

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$	
	英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b		英文名稱	中文名稱	一般食品 ^a	乾燥食品 ^b
320	Silafluofen	砂護芬	0.02	0.05	347	Thiometon	硫滅松	0.02	0.05
321	Simazine	草滅淨	0.02	0.05	348	Tolclofos-methyl	脫克松	0.02	0.05
322	Spinetoram J	賜諾特 J	0.01	0.05	349	Tolfenpyrad	脫芬瑞	0.02	0.05
323	Spinetoram L	賜諾特 L	0.01	0.05	350	Tolyfluanid	甲基益發靈	0.02	0.05
324	Spinosad A	賜諾殺 A	0.01	0.05	351	trans-Chlordane	trans-可氣丹	0.02	0.05
325	Spinosad D	賜諾殺 D	0.01	0.05	352	Triadimefon	三泰芬	0.02	0.05
326	Spirodiclofen	賜派芬	0.02	0.05	353	Triadimenol	三泰隆	0.02	0.05
327	Spiromesifen	賜滅芬	0.02	0.05	354	Triazophos	三落松	0.02	0.05
328	Spirotetramat	賜派滅	0.02	0.05	355	Trichlorfon	三氯松	0.02	0.05
329	Sulfoxaflor	速殺虱	0.02	0.05	356	Tricyclazole	三賽唑	0.02	0.05
330	Tebuconazole	得克利	0.02	0.05	357	Tridiphane	三地芬	0.02	0.05
331	Tebufozide	得芬諾	0.02	0.05	358	Trifloxystrobin	三氟敏	0.01	0.05
332	Tebufofenpyrad	得芬瑞	0.02	0.05	359	Triflumizole	賽福座	0.02	0.05
333	Teflubenzuron	得福隆	0.02	0.05	360	Trifluralin	三福林	0.02	0.04
334	Tepaloxymid	得殺草	0.02	0.05	361	Triforine	賽福寧	0.02	0.05
335	Terbufos	托福松	0.01	0.05	362	Vamidothion	繁米松	0.02	0.05
336	Tetraconazole	四克利	0.02	0.05	363	Vinclozolin	免克寧	0.02	0.05
337	Tetradifon	得脫端	0.02	0.05	364	XMC (Macbal)	滅克森	0.02	0.05
338	Tetramethrin	治滅寧	0.02	0.05	365	Zoxamide	座賽胺	0.02	0.05
339	Thenylchlor	欣克草	0.02	0.05	366	$\alpha$ -BHC	$\alpha$ -蟲必死	0.02	0.03
340	Thiabendazole	腐絕	0.02	0.05	367	$\alpha$ -cypermethrin	亞滅寧	0.03	0.5
341	Thiacloprid	賽果培	0.02	0.05	368	$\alpha$ -Endosulfan	$\alpha$ -安殺番	0.02	0.05
342	Thiamethoxam	賽達安	0.01	0.05	369	$\beta$ -BHC	$\beta$ -蟲必死	0.02	0.05
343	Thifluzamide	賽氣滅	0.02	0.05	370	$\beta$ -Endosulfan	$\beta$ -安殺番	0.02	0.05
344	Thiobencarb	殺丹	0.02	0.05	371	$\gamma$ -BHC, Lindane	$\gamma$ -蟲必死	0.02	0.05
345	Thiodicarb	硫敵克	0.02	0.05	372	$\delta$ -BHC	$\delta$ -蟲必死	0.02	0.05
346	Thiofanox	硫伐隆	0.02	0.05	373	$\lambda$ -Cyhalothrin	賽洛寧	0.02	0.05

^a 適用於一般加工過之食品。

^b 適用於加工、乾燥或水分含量低之食品。

一本檢驗方法不適用於茶類、蔬果類、香辛植物及其他草本植物(乾燥)中免扶克及派滅淨。

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.